

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK STIX A800 PREMIUM Supercedes Date: 19-May-2020 Revision date 25-Nov-2020 Revision Number 2

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name BOSTIK STIX A800 PREMIUM

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive.
Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE

Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

+353 (1) 8624900 (Monday- Friday 9am-5pm)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

## 2.2. Label Elements

Not classified

## Signal word

None

#### Hazard statements

Not classified

## **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

## **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

#### 2.3. Other Hazards

BOSTIK STIX A800 PREMIUM Supercedes Date: 19-May-2020 Revision date 25-Nov-2020 Revision Number 2

May cause sensitisation by skin contact

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	0.1 - <1	^		[4]
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Dam. 1 :: C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

Supercedes Date: 19-May-2020 Revision Number 2

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

**BOSTIK STIX A800 PREMIUM** 

#### 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media** Full water jet. Do not scatter spilled material with high pressure water streams.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Hazardous combustion products Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

Supercedes Date: 19-May-2020 Revision Number 2

\_\_\_\_\_

6.2. Environmental precautions

**BOSTIK STIX A800 PREMIUM** 

**Environmental precautions** Do not flush into surface water or sanitary sewer system. Do not allow to enter into

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

7.3. Specific end use(s)

Specific Use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Limestone	=	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Rubber, natural	=	TWA: 0.0001 mg/m <sup>3</sup>	TWA: 0.6 mg/m <sup>3</sup>
9006-04-6		STEL: 0.0003 mg/m <sup>3</sup>	STEL: 1.8 mg/m <sup>3</sup>
Triethanolamine	-	TWA: 5 mg/m <sup>3</sup>	-
102-71-6		STEL: 15 mg/m <sup>3</sup>	

Derived No Effect Level (DNEL) No information available

## Derived No Effect Level (DNEL)

BOSTIK STIX A800 PREMIUM
Supercedes Date: 19-May-2020
Revision Number 2

Quartz (14808-60-7) 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
worker Long term Systemic health effects	Inhalation	6.81 mg/m³		
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d		

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³			
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d			

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)			
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 μg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 μg/l		
Marine sediment	4.99 μg/l		
Soil	3 mg/kg dry weight		

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

Eye/face protection Hand protection

Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Wear protective nitrile rubber gloves. Glove thickness > 0.4 mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must

conform to standard EN 374

Skin and body protection

Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. This product contains NATURAL RUBBER LATEX. Studies show that natural rubber latex can cause allergic reactions in some individuals. Such allergic reactions are capable of being immediate for HIGHLY SENSITIZED individuals. May cause

sensitisation by skin contact.

Respiratory protection

During spraying wear suitable respiratory equipment. This product contains NATURAL RUBBER LATEX. Studies show that natural rubber latex can cause allergic reactions in some individuals. Such allergic reactions are capable of being immediate for HIGHLY SENSITIZED individuals. Sensitive persons should be cautious when using this product and may choose to wear additional respiratory protection.

**Environmental exposure controls** 

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains.

## SECTION 9: Physical and chemical properties

Supercedes Date: 19-May-2020 Revision Number 2

## 9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Cream Cream

**BOSTIK STIX A800 PREMIUM** 

OdourNo information availableOdour thresholdNo information available

Property Values Remarks • Method

pH 7.9 - 8.5

Melting point / freezing point
Boiling point / boiling range
Flash point > 100 °C

Evaporation rate 7.9 - 8.5

No data available
No data available
No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Relative vapour density No data available Relative density No data available Water solubility Miscible in water Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available

**Dynamic viscosity** 53000 - 67000 mPa s

Explosive properties No data available Oxidising properties No data available

9.2. Other information

Solid content (%) 76.25

VOC Content (%) No information available Density 1.24 1.34 g/cm³

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Revision date 25-Nov-2020

Spindle A6 @ 10 rpm @ 23 °C

Supercedes Date: 19-May-2020 Revision Number 2

Conditions to avoid Do not freeze.

10.5. Incompatible materials

**BOSTIK STIX A800 PREMIUM** 

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 16,537.20 mg/kg

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)		
14808-60-7			
1,2-benzisothiazol-3(2H)-one	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
[BIT]			
2634-33-5			
reaction mass of	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg	
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
55965-84-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Supercedes Date: 19-May-2020 Revision Number 2

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure**Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity .

**BOSTIK STIX A800 PREMIUM** 

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr)	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l	2.15 mg/l		mg/l (Daphnia		
2634-33-5	(activated	Cyprinodon		Magna) OECD		
	sludge) (OECD	variegatus EPA		202		
	209)	540/9-85-006				
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella	mykiss) (OECD		202)		
3-one (3:1)	subcapitata)	211)				
[C(M)IT/MIT]	(OECD 201)					
55965-84-9	·					

## 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	6.95
2634-33-5		
reaction mass of	-	3.16
5-chloro-2-methyl-2H-isothiazol-3-one and		

BOSTIK STIX A800 PREMIUM
Supercedes Date: 19-May-2020
Revision Number 2

2-methyl-2H-isothiazol-3-one (3:1)	
2 mothyr 211 isothia2or 5 one (5.1)	
[C(M)IT/MIT]	
55005.04.0	
55965-84-9	

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or

vPvB

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2634-33-5	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

#### 12.6. Other adverse effects

Other adverse effects No information available.

.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

**Note:** Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

**IMDG** 

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Moving polystopt

Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

BOSTIK STIX A800 PREMIUM
Supercedes Date: 19-May-2020
Revision Number 2

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### National regulations

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

Supercedes Date: 19-May-2020 Revision Number 2

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed H302 - Harmful if swallowed

**BOSTIK STIX A800 PREMIUM** 

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

## Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 25-Nov-2020

Indication of changes

**Revision note** SDS sections updated: 2, 3, 11, 12, 16.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**